

# THE EAST MIDLAND GEOGRAPHER



INDEX TO VOLUME 1  
NUMBERS 1-8  
1954-1957

Reference is by Number and Page. References to Figures  
are in italics.

1870-1871

1870-1871

1870-1871

1870-1871

1870-1871

1870-1871

1870-1871

1870-1871

1870-1871

**A**

## Agriculture

Derbyshire in the early 19th century, 7.16-20.

East Midlands, 3.49.

Fens of S.E. Lincolnshire in the 19th century, 7.3-15.

## Ancaster

*Ancaster district, morphological sketch*, 7.49.

"The Valley" overflow channel, 7.49-51.

## Anholme Levels

Brick-making, 3.41.

Drainage and reclamation, 3.37-42.

*Drainage of North Level, pre-1637 and 1953*, 3.38.*North Level, distribution of arable, 1933 and 1953*, 3.42.

Anglo-Saxon settlement in Northamptonshire, 3.25-36.

Atomic power and the East Midlands, 6.46-47.

## Australia

Lincolnshire place-names in, 1.44.

*Lincolnshire names in South Australia*, 1.44.*Avenue Works, Chesterfield*, 5.38.**B**

Barmote court, 2.43.

Barnes, F. A., 1.46, 4.18-28, 6.9-26, 8.22-31.

Basten, J., 6.9-26.

## Beach

Changes in Lincolnshire, 4.18-28, 4.19, 4.23, 4.26.

Sweep zone, 4.21-25.

Bell-founding, 4.53-54.

Bennett-Jones, R., 3.49.

Blast furnace centres in Britain, 2.37-39, 2.38.

## Bletchley

*Brick works near*, 5.30.

Fletton Brick Company's works, 5.29-31.

Bolingbroke (Lincs.), 7.12.

## Boston (Lincs.)

Geographical aspects of development between 1700 and 1900 A.D., 2.3-13.

*in 1741*, 2.5.*in 1903*, 2.11.*Market radius in 1826*, 2.9.

Port and shipping, 2.4, 2.6-12.

## Brick production

Anholme Levels, 3.41.

*Brickworks near Bletchley*, 5.30.

Brickworks of the Oxford Clay Vale, 4.42-48.

*by regions*, 1953, 4.43.

Fletton Company's works, Bletchley, 5.29-31.

Location factors, 4.44-46.

Brown, P. A., 5.22-28, 6.3-9.

Bygott, John (Obituary), 5.40.

**C**

Clayton, K. M., 3.16-20, 5.20-21, 7.31-40.

Coal

- Diagrammatic section across Notts.-Derbys. coalfield*, 6.28.
- Divisional output per man shift*, 6.31.
- East Midlands, Area Boards and size of collieries*, 6.32.
- East Midlands, distribution to consumer regions*, 1954, 8.14.
- East Midlands Division, distribution from, 8.11-21.
- East Midlands Division, forms of transport*, 1947-1956, 8.18.
- East Midlands production in relation to Britain's fuel and power problem, 6.26-35.
- East Midlands, profit per saleable ton, by Areas*, 1955, 6.33.
- Flow from East Midlands Division*, 1948-1954, 8.12.
- Man-shifts per thousand tons*, 1953, 1.22.
- Output of deep-mined coal*, 1952, 1.20.
- Production.
  - Great Britain 1880-1954*, 6.27.
  - in 1954, 3.48-49.
  - Profit and loss*, 1952, 1.23.
  - Three maps on, 1.20-23.

Coke oven plant

- at Wingerworth, 5.37-38.
- Location of Avenue Works*, 5.38.

Country towns, small

- and centres of influence*, 7.21.
- Comparative industrial development*, 1954, 7.22.
- Employment in manufacturing industry*, 1939, 7.25.
- Employment in manufacturing industry*, 1954, 7.23.
- Insured females as percentage of total insured*, 7.28.
- of Lincs., Northants. and Rutland; industry in, 7.21-30.
- Present factors in location of industry, 7.26-29.

**D**

Danelaw, 1.3-6.

Daventry, Expansion of, 4.52-53.

Derby, Employment structure, 8.45-48.

Derbyshire

- Agricultural geography of*, early 19th century, 7.16-20.
- Crops, 1801*, 7.18.
- Lead mining, 2.42-43.
- Major land use regions*, 7.17.
- Migration of population, 2.16-17.
- Population changes (1951 census), 2.13-23.
- Population changes, 1931-1951*, 2.15.
- Regional divisions*, 2.18.
- Water supply, 8.32-44.
  - Derwent Valley Water Board and other bulk supplies*, 8.39.
  - Sources: 1899*, 8.32; *1929*, 8.33; *1955*, 8.35.
  - Sources proposed*, 8.38.
  - Statutory water authorities*, 1955, 8.42.
  - Suggested revision of water supply authorities*, 8.43.

## East Midlands

- Administrative region, 1.6-7.
- Agriculture (Patterns of farming), 3.49.
- Boroughs, 1.3-6, 1.42.
- Bus service centres and hinterland populations*, 6.6.
- Coal**
  - Distribution, 8.11-21.
    - Flow to consumer groups, 1948-1954*, 8.12.
    - Forms of transport, 1947-1956*, 8.18.
    - to consumer regions, 1954*, 8.14.
  - Production in relation to Britain's fuel and power problem. 6.26-35.
- Coalfield**, 1.10.
  - East Midlands Division N.C.B.: Area Boards and size of collieries*, 6.32.
  - East Midlands Division: profit per ton by Areas, 1955*, 6.33.
  - Notts. and Derbys., geological section*, 6.28.
- Earthquake, February, 1957, 7.52-53.
- Flax production, 5.39.
- Floods, 3.51-54.
- Footwear industry, 4.14-15.
- Gas production**
  - Distribution of, 1953-54*, 5.23.
  - Location factors, 5.25-26.
  - Major projects, 1949-54, E. Midlands Gas Board*, 5.24.
  - Some geographical aspects of, 5.22-28.
- Glacial drifts, differentiation, 7.31-40.
- Hosiery industry, 4.12-13.
- Industries**
  - Distribution, 1.8-10.
  - Manufacturing, post-war developments, 4.3-18
    - by *East Midland firms within region, 1953*, 4.13, 4.14, 4.15.
    - by *outside firms within East Midlands, 1953*, 4.9.
    - Location and manufacturing character of outside firms, 1953*, 4.10.
    - outside the region by East Midland firms, 1953*, 4.6.
  - Local excursion notes, 8.50.
  - Newspaper circulation*, 1.4.
  - Occupational groups, 1953*, 1.11.
- Retail sales
  - Centres of distribution, 6.3-9.
  - Factors affecting pattern of, 6.4-8.
  - Per capita value, 1950*, 6.5.
- Some general considerations, 1.3-12.
- Town growth, 1.41-42.
- Urban hierarchy*, 6.8.

Edwards, K. C., 1.3-12, 5.3-9, 6.26-35.

Electric power

- Atomic power and the East Midlands, 6.46-47.
- Generating plant; post-1948 constructions, projected capacity, 2.24.*
- Grid system, 2.29.
- Post-war development on the Middle Trent, 2.28.*
- production and the river Trent, 2.23-30.
- Stations, cost of coal, 1947-48, 2.26.*

Employment structure, Nottingham, Derby and Leicester, 8.45-48.

Erosion surface

- 1,000-foot in S. Pennines, 8.3-10.
- Sub-Triassic, 8.7-8.

Estall, R.C., 8.11-21.

Explorers (Australia) from Lincolnshire, 1.44-45.

F

Fawcett, C. B., 2.33-34.

*Fen edge east of Sleaford (drift geology), 7.35.*

Fens of S.E. Lincs.

- Development of drainage, agriculture and settlement during the 19th century, 7.3-15.
- Fen drainage in 1824, 7.8.*
- in 1779, 7.6.*
- Physical geography, 7.3-5.
- Places of origin (in Lincs.) of Fen householders in 1851, 7.10.*
- Population, 1801, 7.5.*
- Settlements possessing rights of common in East, West and Wildmore Fens in 1801, 7.7.*

Field, N. J., 6.9-26.

Fuller, G. Joan, 2.3-13, 3.25-36, 7.3-15.

G

General circulation (atmospheric)

Blocking action, 6.17-18.

*Effect on depression tracks, 6.19.*

*Blocking patterns and expected depression tracks, July 1954 and 1955, 6.21.*

External factors, 6.23-25.

Grosswetterlagen, 6.15-16.

*Mean thermal patterns, July 1954 and 1955, 6.22.*

Pattern in summer 1954 and 1955, 6.18-23.

Zonal index, 6.16-18.

Geomorphology of area around Nottingham and Derby, 3.16-20.

Glacial drifts

*Area west of Lincoln (drift map), 7.37.*

*Drift geology of part of E. England, 7.39.*

*Fen edge east of Sleaford, 7.35.*

Newer and Older, 7.32-40, 7.41-48.

of East Midlands, differentiation of, 7.31-40.

Some glacial features of East Lincolnshire, 7.41-48.

*Southern part of the Lincolnshire Wolds, 7.33.*

Techniques of differentiation, 7.31-32.

Glacial spillways  
 in E. Lincolnshire, 7.45-46.  
 The Valley, Ancaster, 7.49-51.  
 Goulding, H. E., 5.31-36.  
 Grain milling in the Nene Basin, 1.24-32.

**H**

Healey, Pamela R., 4.42-48.  
 Henderson, H. C. K., 7.16-20.  
 Humberstone (Lincs.), 1.43-44.

**J**

Johnston, W. B., 4.3-18.

**K**

Keele surface  
 and upper Trent drainage, 5.10-22.  
 Age of, 5.18-19.  
 Kent, P. E., 8.3-10.  
 Kesteven, population changes, 6.48.  
 King, C. A. M., 1.46, 4.18-28, 8.22-31.  
 Kirkby, A. E., 1.43-44.

**L**

Large, D. C., 6.35-41.  
 Leay, Petra, 1.33-40.  
 Lees, G., 7.52-53.  
 Leicester, employment structure, 8.45-48.  
 Leicestershire  
 Population  
*Analysis of changes, 3.3-15.*  
*Changes, 1931-1951, 3.5.*  
*Decrease in relation to accessibility to towns, 3.7.*  
*Migration, 3.5-6.*  
*Regional divisions, 3.9.*

Lincoln  
 Industry, 2.44.  
 Pelham Bridge scheme, 4.54-55, 4.55.

Lincolnshire  
*at beginning of 18th century, 2.4.*  
 Coast  
 Beach changes since the 1953 storm surge, 4.18-28.  
*Beach material, changes in volume since 1953, 4.19.*  
 Beach profiles, 4.19-27, 4.26.  
*Defences, 1955, 4.19.*  
 Geomorphological work, 1.45-46.  
 Gibraltar Point  
*Coastal and inshore changes, 8.25.*  
*Spit, 8.22-31, 8.23, 8.29.*  
 Groynes, 4.27-28.  
*Sweep zones, 4.23.*

**Lincolnshire**

- East, 7.42.
- Glacial deposits and associated features*, 7.44.
- Glacial features of, 7.41-48.
- Spillways, 7.45-46.
- Explorers (Australia), 1.44-45.
- Glacial drifts, 7.32-38, 7.37.
- Glacial retreat stages, 7.34.
- Industry in small country towns, 7.21-30.
- Names in South Australia*, 1.44.
- Nature conservation, 3.50-51.
- South-east, population, 1801*, 7.5.
- Wolds, southern part* (drift geology), 7.33.

Linton, D. L., 5.21-22.

Lockyer, A. G., 8.32-44.

Loughborough

- Age of buildings*, 1.15.
- Bell-founding at, 4.53-54.
- Industries, development, 1.14-16.
- Outline urban survey, 1.12-19.
- Site*, 1.13.
- Urban land use*, 1.17.

Louth, a north Lincs. market town, 5.31-36.

- Growth of population* (with Lincoln and Grimsby), 5.35.
- Hinterlands*, 5.36.
- Position*, 5.32.

Low Peak

- Geomorphology, 3.16-17.
- Population changes, 2.21.

**M**

Mansfield plateau (geomorph.) 3.18-19.

Market gardening, Melbourne, 1.33-40.

Melbourne (Derbyshire)

- Market garden crops, comparative production 1933 and 1953*, 1.37.
- Market gardening industry, 1.33-40.
- Market garden land*, 1.36.
- Parish, soils*, 1.33.

Mercia, 1.3.

Middle Trent counties

- Conurbations, 2.33-36.
- Conurban features*, 2.35.
- Distribution of population, 1949*, 2.31.
- Population concentrations and conurban tendencies, 2.30-37.

Millclose mine (lead), 2.43.

Mills, D. R., 3.43-47, 7.49-51.

Moisture balance, Nottingham (Woodthorpe), 6.11.

# N

## Nene basin

- Grain milling, 1.24-32.
- Mills 1870*, 1.27.
- Mills 1950, sources of power*, 1.30.
- Mills 1950, type of output*, 1.31.

## Nene valley

- Settlements in 1086 in relation to soil types*, 3.32.

## Northamptonshire

- Anglo-Saxon settlement*, 3.30.
- Early Anglo-Saxon settlement*, 3.27.
- Industry in small country towns, 7.21-30.
- Settlement between 500 A.D. and Domesday, 3.25-36.
- Settlements in 1086*, 3.34.

## Nottingham

- Anglian settlement, 5.3-4, 6.35-36.
- Bunter Sandstone site, 5.3-6.
- Caves, 5.5.
- Climate
  - Moisture balance*, 6.11.
  - Summer weather, 4.50-51, 6.10-11.
- Employment structure, 8.45-48.
- Film strip, 3.50.
- Greater Nottingham
  - Population changes, 4.35-37.
- Growth
  - Municipal boundaries, 1831-1952*, 6.39.
  - of street plan, 1610-1831*, 6.37.
  - in relation to local collieries*, 5.8.
  - Location factors in development, 5.3-9.
  - Morphological units, 6.40-41.
  - Municipal boundary and open land, 1831*, 6.38.
  - Population of residential areas, 1949*, 6.44.
  - Regional capital, 1.7-8.
  - Routes, 5.6-7.
  - Service centres, 6.41-46, 6.42.
  - Site of early Nottingham*, 5.4.
  - Street plan*, 6.37, 6.38.
  - Urban pattern, 6.35-41.
  - Water, 5.5.

## Nottingham-Derby area

- Geomorphology, 3.16-20.
- Morphological map*, 3.17.

## Nottinghamshire

### Coalfield

- Clifton colliery, 5.8-9.
- Collieries, 5.8-9.
- Nottingham area, 5.7-9.
- Population changes, 4.38.
- Population changes (1951 census) 4.29-42.  
1931-51, 4.33.
- Migration, 4.31-32.
- South Notts. Wolds, 4.39.
- Regional divisions*, 4.37.

**O****Obituary**

Beasley, Prof. C. G., 6.49.  
Bygott, John, 5.40.

**Oil production**

Further developments (Egmonton), 5.39-40.  
New centre (Plungar), 1.42-43.

Oshorne, R. H., 2.30-37.

**Oxford Clay Vale**

Brickworks of, 4.42-48.  
*Weekly output of the four major groups of brickworks*, 4.45.

**P****Peak District**

*Boundary of National Park*, 2.40.  
National Park, 2.40-42.  
New Tourist Map, 8.49.

**Pennines, southern**

Geomorphological history, 8.8-9.  
Triassic relics and the 1000-foot surface, 8.3-10.

**Plungar, oil production**, 1.42-43.

Powell, A. G., 2.13-23, 3.3-15, 4.29-42.

**R**

Rawstron, E. M., 1.20-23, 2.23-30, 2.37-39, 3.21-24, 4.42-48, 8.45-48.

Retail distribution, centres in the East Midlands, 6.3-9.

Richards, P. S., 5.29-31.

Rutland, industry in small country towns, 7.21-30.

**S**

Sheffield District, steel production, 3.21-22.

**Sink holes**

*Deposits, distribution in S. Pennines*, 8.4.  
Triassic deposits in, 8.3-10.

Smith, John, 1.24-32.

Stamford, in 1850 and to-day, 4.49-50.

**Steel**

*Open-hearth and Bessemer production in Great Britain, 1953*, 3.22.  
*Open-hearth capacity in Great Britain, 1953*, 3.23.  
Production and the East Midlands, 3.21-24.

Straw, Allan, 3.37-42, 7.41-48.

**Summer weather**

*Depression tracks, 1954 and 1955*, 6.14.

High summers of 1954 and 1955, and long waves in the Westerlies, 6.9-26.

Natural seasons, 6.13.

Nottingham, 1954 and 1955, 6.10-11.

## T

Tinn, A. B., 4.50-51.  
Towcester, recent industrial growth, 2.46-47.  
Trent  
    *Bridges* (Nottingham), 2.45.  
    *Height of river at Trent Bridge, 25-31 Mar., 1955*, 3.52.  
    River and electric power production, 2.23-30.  
    River terraces, 3.19-20, 3.17, 7.37.  
    Tidal flooding on lower, 2.47-48.  
Upper Trent  
    Age, 5.19-20.  
    *Drainage*, 5.13.  
    Drainage and Keele Surface, 5.10-22.  
    Erosion levels, correlation, 5.20-22.  
    *Geology (simplified)*, 5.11.  
    Morphology, 5.14-16.  
        Sub-Triassic hypothesis, 5.16-17.  
    *Projected profiles of area*, 5.15.  
    Relief, 5.14.  
    *Structure*, 5.12.  
Trent Bridge (Nottingham)  
    Traffic censuses, 2.44-46, 3.43-47, 3.45, 3.46.  
Trent Valley  
    Drift deposits—*The area west of Lincoln*, 7.37.  
    Population changes, 4.39-40.  
Triassic deposits  
    Relics in S. Pennines, 8.3-10.

## U

Urban survey, Loughborough, 1.12-19.

## W

Warren, K., 7.49-51.  
*Watnall, summer weather, 1954 and 1955*, 6.12.  
Wedlock, G. H., 1.12-19.  
Weekley, I. G., 6.41-46, 7.21-30.

## Y

Yates, E. M., 5.10-22.